

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

Conforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SN X1 - OXY REMOVER 500 ML TR

Trade code: 1814

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Ready-to-use active oxygen-based fabric stain remover

1.3. Details of the supplier of the safety data sheet

Supplier:

ITALCHIMICA s.r.l.

Riviera Maestri del lavoro 10 35127 Padova Italy

Phone +39 049 8792456

Marketing authorization holder

ITALCHIMICA s.r.l. ||Riviera Maestri del lavoro 10 35127 Padova Italy ||Phone +39 049 8792456

- www.sanitecitalia.com

Competent person responsible for the safety data sheet:

regulatory@italchimica.it

1.4. Emergency telephone number

Centro antiveleni, "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA, Piazza Sant'Onofrio, 4 Roma Tel. 06 68593726

Centro antiveleni, Az. Osp. Univ. Foggia, V.le Luigi Pinto 1, Foggia Tel. 800183459

Centro antiveleni, Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, Via A. Cardarelli 9, Napoli Tel. 081-5453333

Centro antiveleni, Policlinico "Umberto I", V.le del Policlinico 155, Roma Tel. 06-49978000

Centro antiveleni, Policlinico "A. Gemelli", Largo Agostino Gemelli 8, Roma Tel. 06-3054343

Centro antiveleni, Az. Osp. "Careggi" U.O. Tossicologia Medica, Via Largo Brambilla 3, Firenze Tel. 055-7947819

Centro antiveleni, Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica di Lavoro e della riabilitazione, Via Salvatore Maugeri 10, Pavia Tel. 0382-24444

Centro antiveleni Osp. Niguarda Ca' Grande, Piazza Ospedale Maggiore 3, Milano Tel. 02-66101029

Centro antiveleni, Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS 1, Bergamo Tel. 800883300

Centro antiveleni, Azienda Ospedaliera Integrata Verona, Piazzale Aristide Stefani 1, Verona Tel. 800011858

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

Special Provisions:

None

Contains

Alcohols, C11-13-branched, ethoxylated

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

hydrogen peroxide solution

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

Product contents:

Oxygen-based bleaching agents, Non-ionic surfactants 5 - 15 %

Phosphonates, Amphoteric surfactants < 5 %

The product also contains: Perfumes

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 5\%$ - < 7.5%	hydrogen peroxide solution	Index number: 008-003-00-9 CAS: 7722-84-1 EC: 231-765-0 REACH No.: 01-2119485845-22-0000	⚠ 2.13/1 Ox. Liq. 1 H271 ⚠ 3.1/4/Inhal Acute Tox. 4 H332 ⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.2/1A Skin Corr. 1A H314 Specific Concentration Limits: 5% \leq C < 8%: Eye Irrit. 2 H319 8% \leq C < 50%: Eye Dam. 1 H318 35% \leq C < 50%: Skin Irrit. 2 H315 C \geq 35%: STOT SE 3 H335 50% \leq C < 70%: Ox. Liq. 2 H272

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

			50% ≤ C < 70%: Skin Corr. 1B H314 C ≥ 70%: Ox. Liq. 1 H271 C ≥ 70%: Skin Corr. 1A H314
≥ 5% - < 7.5%	Alcohols, C11-13- branched, ethoxylated	CAS: 68439-54-3 EC: 931-985-3	⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.3/1 Eye Dam. 1 H318
< 2.5%	1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-C8- 18(even numbered) acyl derivs., hydroxides, inner salts	CAS: 97862-59-4 EC: 931-296-8 REACH No.: 01- 2119489410 -39-0001	⚠ 3.3/1 Eye Dam. 1 H318 4.1/C3 Aquatic Chronic 3 H412 Specific Concentration Limits: C ≥ 10,1%: Eye Dam. 1 H318 4% ≤ C < 10,1%: Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrogen peroxide solution - CAS: 7722-84-1
ACGIH - TWA(8h): 1 ppm - Notes: A3 - Eye, URT, and skin irr
DNEL Exposure Limit Values
N.A.
PNEC Exposure Limit Values
N.A.

8.2. Exposure controls

Eye protection:
Use closed safety visors complying with EN 166, do not use eye lenses.
Protection for skin:
Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.
Protection for hands:

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

Use protective gloves in compliance with the UNI EN 374-3 standard of class 3 or higher (eg PVC, neoprene or rubber). The suitability and stability of a glove depend on use; for example, the duration, the contact frequency and the chemical resistance of the materials, so the final choice must consider the specific conditions of use.

Respiratory protection:
Not needed for normal use.

Thermal Hazards:
None

Environmental exposure controls:
None

Appropriate engineering controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Transparent	--	--
Odour:	Marseilles	Olfactory	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	Not Relevant	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point:	N.A.		--
Auto-ignition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Decomposition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
pH:	4.0 +/- 0.5	Instrumental Control	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	Excellent	Internal Tests	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	Parameter Not Relevant For

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

			The Product Type.
Density and/or relative density:	1.0300 +/-0,01 gr/ml	--	--
Relative vapour density:	Not Relevant	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information
No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

It may generate toxic gases on contact with acids, amides, aliphatic and aromatic amines, carbamates, halogenated organic substances, isocyanates, organic sulphides, nitriles, organophosphates, inorganic sulphides, and polymerisable substances.

It may catch fire on contact with other substances.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

hydrogen peroxide solution - CAS: 7722-84-1

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4060 mg/kg

Test: LD50 - Route: Skin - Species: Rat = 4060 mg/kg

Test: LD50 - Route: Inhalation - Species: Rat 2 mg/l

Alcohols, C11-13-branched, ethoxylated - CAS: 68439-54-3

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 300-2000 mg/kg - Source: Test/bibliografici fornitore

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: Test/bibliografici fornitore

b) skin corrosion/irritation:

Test: Skin Corrosive - Route: Skin - Species: Rabbit Negative - Source: Test/bibliografici fornitore - Notes: Non irritante

c) serious eye damage/irritation:

Test: Eye Corrosive - Route: Skin - Species: Rabbit Positive - Source: Test/bibliografici fornitore - Notes: Gravi lesioni oculari

d) respiratory or skin sensitisation:

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

Test: Skin Sensitization - Route: Skin Negative - Source: Test/bibliografici fornitore -
Notes: Porcellino d'India - non sensibilizzante

e) germ cell mutagenicity:

Test: Mutagenesis Negative - Source: Test/bibliografici fornitore - Notes: Metodo Ames - non mutagenico

f) carcinogenicity:

Test: Carcinogenicity Negative - Source: Bibliografici fornitore

g) reproductive toxicity:

Test: Reproductive Toxicity = - Source: Bibliografici fornitore - Notes: NOAEL:
(g)>250mg/kg|(F1)>250mg/kg;(F2)>250mg/kg (rif peso corporeo/giorno)

h) STOT-single exposure:

Test: STOT = - Notes: Non classificata come intossicante

i) STOT-repeated exposure:

Test: STOT = - Notes: Non classificata come intossicante

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts - CAS: 97862-59-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2335 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Alcohols, C11-13-branched, ethoxylated - CAS: 68439-54-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1-10 mg/l - Duration h: 96 - Notes: OECD TG 203

Test/bibliografici fornitore

Endpoint: EC50 - Species: Daphnia > 1-10 mg/l - Duration h: 48 - Notes: OECD TG 202

Test/bibliografici fornitore

Endpoint: EC50 - Species: Algae > 1-10 mg/l - Duration h: 72 - Notes: OECD TG 201

Test/bibliografici fornitore

c) Bacteria toxicity:

Endpoint: EC50 - Species: Bacteria 140 mg/l

e) Plant toxicity:

Endpoint: NOEC - Species: Algae 10 mg/kg - Notes: OECD TG 301

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts - CAS: 97862-59-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 1.9 mg/l

Endpoint: EC50 - Species: Algae 2.4 mg/l

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

Endpoint: LC50 - Species: Fish 1.1 mg/l

12.2. Persistence and degradability

Alcohols, C11-13-branched, ethoxylated - CAS: 68439-54-3

Biodegradability: Readily biodegradable - %: 60 - Notes: OECD TG 301B >60% 28d aerobic

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 Regulation (EU) n. 2016/918 (ATP 8 CLP)
 Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 Regulation (EU) n. 2017/776 (ATP 10 CLP)
 Regulation (EU) n. 2018/669 (ATP 11 CLP)
 Regulation (EU) n. 2018/1480 (ATP 13 CLP)
 Regulation (EU) n. 2019/521 (ATP 12 CLP)
 Regulation (EU) n. 2020/217 (ATP 14 CLP)
 Regulation (EU) n. 2020/1182 (ATP 15 CLP)
 Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 75

Pronto all'Uso

Volatile Organic compounds - VOCs = 0.00 %

Volatile Organic compounds - VOCs = 0.00 g/Kg

Volatile Organic compounds - VOCs = 0.00 g/l

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.00

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H271 May cause fire or explosion; strong oxidiser.

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H272 May intensify fire; oxidiser.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Ox. Liq. 1	2.13/1	Oxidising liquid, Category 1
Ox. Liq. 2	2.13/2	Oxidising liquid, Category 2

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
 SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ATE: Acute Toxicity Estimate
 ATEmix: Acute toxicity Estimate (Mixtures)
 CAS: Chemical Abstracts Service (division of the American Chemical Society).
 CLP: Classification, Labeling, Packaging.
 DNEL: Derived No Effect Level.
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 GefStoffVO: Ordinance on Hazardous Substances, Germany.
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
 IATA: International Air Transport Association.
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Safety Data Sheet

SN X1 - OXY REMOVER 500 ML TR

ICAO:	Association" (IATA). International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.