


Conforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments. SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: BAKTERIO Trade code: 1541
1.1. Product identifier Mixture identification: Trade name: BAKTERIO Trade code: 1541
Trade name: BAKTERIO Trade code: 1541
Trade code: 1541
1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Disinfectant Hard Surface Cleaner
1.3. Details of the supplier of the safety data sheet Supplier:
ITALCHIMICA s.r.l.
Riviera Maestri del lavoro 10 35127 Padova Italy
Phone +39 049 8792456
Marketing authorization holder
ITALCHIMICA s.r.l. Riviera Maestri del lavoro 10 35127 Padova Italy Phone +39 049 8792456
- www.sanitecitalia.com
Competent person responsible for the safety data sheet:
regulatory@italchimica.it
1.4. Emergency telephone number
Centro antiveleni, "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA, Piazza
Sant'Onofrio, 4 Roma Tel. 06 68593726
Centro antiveleni, Az. Osp. Univ. Foggia, V.le Luigi Pinto 1, Foggia Tel. 800183459
Centro antiveleni, Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e
rianimazione, Via A. Cardarelli 9, Napoli Tel. 081-5453333
Centre entivelani. Delialinica "Limberte III. V. la del Delialinica 455. Demo Tel. 06.40078000
Centro antiveleni, Policlinico "Umberto I", V.le del Policlinico 155, Roma Tel. 06-49978000
Centro antiveleni, Policlinico "A. Gemelli", Largo Agostino Gemelli 8, Roma Tel. 06-3054343
Contro antivoloni. Az. Oan. "Caroagi" II.O. Toppicologia Madiga. Via Large Brambilla 2. Eironza
Centro antiveleni, Az. Osp. "Careggi" U.O. Tossicologia Medica, Via Largo Brambilla 3, Firenze Tel. 055-7947819
Centro antiveleni, Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione
Salvatore Maugeri Clinica dl Lavoro e della riabilitazione, Via Salvatore Maugeri 10, Pavia Tel. 0382-24444
0002-24444
Centro antiveleni Osp. Niguarda Ca' Grande, Piazza Ospedale Maggiore 3, Milano Tel.
02-66101029
Centro antiveleni, Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS 1, Bergamo Tel.
800883300
Contro ontivoloni. Aziendo Consedelievo Integrato Marano, Diazzale Azietida Otafazi (). Marano
Centro antiveleni, Azienda Ospedaliera Integrata Verona, Piazzale Aristide Stefani 1, Verona Tel. 800011858
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP)
Safety Data Sheet dated 26/9/2022, version 14
Page n. 1 of 11





Qty	Name	ldent. Number		Classification
>= 2.5% - < 5%	Quaternary ammonium compounds,benzyl- C12-16-alkyldimethyl, chlorides	CAS: EC:	68424-85-1 270-325-2	 ♦ 3.3/1 Eye Dam. 1 H318 ♦ 4.1/C1 Aquatic Chronic 1 H410 ♦ 3.1/4/Oral Acute Tox. 4 H302 ♦ 3.2/1B Skin Corr. 1B H314 ♦ 4.1/A1 Aquatic Acute 1 H400

Safety Data Sheet dated 26/9/2022, version 14 Page n. 2 of 11



< 2	.5%	Alcohols, C11-13- branched, ethoxylated	CAS: EC:	68439-54-3 931-985-3	 ⁽¹⁾ 3.1/4/Oral Acute Tox. 4 H302 ⁽²⁾ 3.3/1 Eye Dam. 1 H318 ⁽²⁾ 			
< 2	.5%	tetrasodium ethylene diamine tetraacetate	Index number: CAS: EC: REACH No.:	64-02-8 200-573-9	 			
		1						
		st aid measures						
4.1		ription of first aid meas	sures					
		ase of skin contact:						
		nediately take off all cont						
					of having - come into contact with the			
	pro	duct must be rinsed imm	ediately with pl	enty of running	water and possibly with soap.			
		TAIN IMMEDIATE MEDI						
	Wa	sh thoroughly the body (s	shower or bath).	<i>a</i>			
	Rer	nove contaminated cloth	ing immediatel	y and dispose o	ott sately.			
		er contact with skin, wash immediately with soap and plenty of water.						
		ase of eyes contact:						
					ds open for a sufficient length of time			
		n consult an opthalmolog	ist immediately	/.				
		tect uninjured eye.						
		ase of Ingestion:						
			nces induce vo	miting. OBTAIN	N A MEDICAL EXAMINATION			
		IEDIATELY.						
		ase of Inhalation:						
		nove casualty to fresh ai						
		Most important sympt	oms and effect	cts, both acute	e and delayed			
	Nor	ne						
4.3	. Indic	ation of any immediate	medical atten	tion and speci	ial treatment needed			
	In c	ase of accident or unwel	Iness, seek me	edical advice im	mediately (show directions for use c			
		ety data sheet if possible			• •			
	Tre	atment:						
	Nor	ne						
	l 5: Fir	efighting measures						
		guishing media						
		able extinguishing media	a:					
		ter.						
		bon dioxide (CO2).						
		nguishing media which must not be used for safety reasons:						
		ne in particular.		· · · , · · ·				
		ial hazards arising from	the substand	ce or mixture				
5.2		not inhale explosion and						
5.2	20							
5.2			oke.					
	Bur	ning produces heavy sm	оке.					
	Bur . Advio	ning produces heavy sm e for firefighters						
	Bur . Advio Use	ning produces heavy sm ce for firefighters e suitable breathing appa	ratus .	er separately 7	This must not be discharged into			
	Bur . Advio Use Col	ning produces heavy sm ce for firefighters e suitable breathing appa lect contaminated fire ex	ratus .	er separately. T	This must not be discharged into			
	Bur . Advid Use Col dra	ning produces heavy sm ce for firefighters e suitable breathing appa lect contaminated fire ex	ratus . tinguishing wat		-			



	Accidental release measures
	ersonal precautions, protective equipment and emergency procedures
	Wear personal protection equipment.
	Remove persons to safety.
	See protective measures under point 7 and 8.
6.2. E	nvironmental precautions
	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
	Retain contaminated washing water and dispose it.
	In case of gas escape or of entry into waterways, soil or drains, inform the responsible
	authorities.
	Suitable material for taking up: absorbing material, organic, sand
	ethods and material for containment and cleaning up
	Wash with plenty of water.
	eference to other sections
	See also section 8 and 13
	Here d'Anna and a familiar
	Handling and storage
	recautions for safe handling
	Avoid contact with skin and eyes, inhalation of vapours and mists.
	Don't use empty container before they have been cleaned.
	Before making transfer operations, assure that there aren't any incompatible material residuals
	in the containers.
	See also section 8 for recommended protective equipment.
	Advice on general occupational hygiene:
	Contamined clothing should be changed before entering eating areas.
	Do not eat or drink while working.
	onditions for safe storage, including any incompatibilities
	Keep away from food, drink and feed.
	Incompatible materials:
	None in particular.
	Instructions as regards storage premises:
	Adequately ventilated premises.
7.3. S	pecific end use(s)
	None in particular
ECTION 8:	Exposure controls/personal protection
	ontrol parameters
	tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
	EU - TWA: 10 mg/m3 - Notes: Inalabile
	EU - TWA: 10 mg/m3 - Notes: respirabile
	DNEL Exposure Limit Values
	tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
	Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation -
	Frequency: Long Term, local effects
	Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency
	Short Term (acute)
	Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effect
	PNEC Exposure Limit Values
	tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
	Target: Fresh Water - Value: 2.2 mg/l
	Target: Marine water - Value: 0.22 mg/l
	Target: Microorganisms in sewage treatments - Value: 43 mg/l
	Target: Soil (agricultural) - Value: 0.72 mg/kg
8.2. E	
8.2. E	xposure controls Safety Data Sheet dated 26/9/2022, version

* Italchimica

Safety Data Sheet BAKTERIO

Eye protection: Use closed safety visors complying with EN 166, do not use eye lenses. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves in compliance with the UNI EN 374-3 standard of class 3 or higher (eq PVC, neoprene or rubber). The suitability and stability of a glove depend on use; for example, the duration, the contact frequency and the chemical resistance of the materials, so the final choice must consider the specific conditions of use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	Blue		
Odour:	Resource / Cool	Olfactory	
Melting point/freezing point:	Not Relevant		
Boiling point or initial boiling point and boiling range:	Not Relevant		
Flammability:	N.A.		
Lower and upper explosion limit:	Not Relevant		
Flash point:	N.A.		
Auto-ignition temperature:	Not Relevant		Parameter Not Relevant For The Product Type.
Decomposition temperature:	Not Relevant		Parameter Not Relevant For The Product Type.
pH:	10.5 +/- 0.5	Instrumental Control	
Kinematic viscosity:	N.A.		



	Solubility in water:	Excellent	Internal Tests				
	Solubility in oil:	Not Relevant					
	Partition coefficient n- octanol/water (log value):	Not Relevant					
	Vapour pressure:	Not Relevant		Parameter Not Relevant For The Product Type.			
	Density and/or relative density:	1.0000 +/-0, 01 gr/ml					
	Relative vapour density:	Not Relevant					
		Particle cha	racteristics:				
	Particle size:	N.A.			_		
	 10.1. Reactivity Stable under normal conditions 10.2. Chemical stability Stable under normal conditions 10.3. Possibility of hazardous reactions None 10.4. Conditions to avoid Stable under normal conditions. 10.5. Incompatible materials 						
	None in particular. 10.6. Hazardous decomposition products						
	None.						
SEC ⁻	fornitore Test: LD50 - R b) skin corrosion/irrita Test: Skin Cor fornitore - Note c) serious eye damag Test: Eye Corr fornitore - Note d) respiratory or skin	rd classes as du ation of the produ- ation of the main unched, ethoxylat coute: Oral - Spe- coute: Skin - Spe- Spe- coute: Skin - Spe- coute: Skin - Spe- coute: Skin	ict: substances foun ted - CAS: 68439 cies: Rat > 300-2 cies: Rat > 2000 Skin - Species: Ra kin - Species: Ra oculari	ad in the product: 9-54-3 2000 mg/kg - Source: Test/bibliogr mg/kg - Source: Test/bibliografici abbit Negative - Source: Test/bibliografici	i fornitore iografici grafici		
			-	- Source: Test/bibliografici fornitor			
			Safe	ety Data Sheet dated 26/9/2022, v	ersion 14		

🖘 Italchimica

Notes: Porcellino d'India - non sensibilizzante
e) germ cell mutagenicity:
Test: Mutagenesis Negative - Source: Test/bibliografici fornitore - Notes: Metodo Ames -
non mutagenico f) carcinogenicity:
Test: Carcinogenicity Negative - Source: Bibliografici fornitore
g) reproductive toxicity:
Test: Reproductive Toxicity = - Source: Bibliografici fornitore - Notes: NOAEL:
(g)>250mg/kg (F1)>250mg/kg;(F2)>250mg/kg (rif peso corporeo/giorno)
h) STOT-single exposure:
Test: STOT = - Notes: Non classificata come intossicante
i) STOT-repeated exposure:
Test: STOT = - Notes: Non classificata come intossicante
tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1780 mg/kg
rest. Ebou - Route. Oral - Opeoles. Rat - 1700 mg/kg
If not differently specified, the information required in Regulation (EU)2020/878 listed below
must be considered as N.A.:
a) acute toxicity;
b) skin corrosion/irritation;
c) serious eye damage/irritation;
d) respiratory or skin sensitisation;
e) germ cell mutagenicity; f) carcinogenicity;
g) reproductive toxicity;
h) STOT-single exposure;
i) STOT-repeated exposure;
j) aspiration hazard.
11.2. Information on other hazards
Endocrine disrupting properties:
No endocrine disruptor substances present in concentration >= 0.1%
SECTION 12: Ecological information
12.1. Toxicity
Adopt good working practices, so that the product is not released into the environment.
Alcohols, C11-13-branched, ethoxylated - CAS: 68439-54-3
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish > 1-10 mg/l - Duration h: 96 - Notes: OECD TG 203
Test/bibliografici fornitore
Endpoint: EC50 - Species: Daphnia > 1-10 mg/l - Duration h: 48 - Notes: OECD TG 202
Test/bibliografici fornitore Endpoint: ECE0 Species: Algee > 1.10 mg/L Duration b: 72 Notes: OECD TC 201
Endpoint: EC50 - Species: Algae > 1-10 mg/l - Duration h: 72 - Notes: OECD TG 201 Test/bibliografici fornitore
c) Bacteria toxicity:
Endpoint: EC50 - Species: Bacteria 140 mg/l
e) Plant toxicity:
Endpoint: NOEC - Species: Algae 10 mg/kg - Notes: OECD TG 301
tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 792 mg/l - Duration h: 96
12.2. Persistence and degradability
Alcohols, C11-13-branched, ethoxylated - CAS: 68439-54-3 Biodegradability: Readily biodegradable - %: 60 - Notes: OECD TG 301B >60% 28d
aerobico
12.3. Bioaccumulative potential
Safety Data Sheet dated 26/9/2022, version 14



N.A.

12.4. Mobility in soil N.A.

- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None
- None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information



14.1. UN number or ID number	
ADR-UN Number:	1760
IATA-UN Number:	1760
IMDG-UN Number:	1760
14.2. UN proper shipping name	
ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S., Marine Pollutant (Benzalkonium
11 0	Chloride, sodium hydroxide)
IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S., Marine Pollutant (Benzalkonium
	Chloride, sodium hydroxide)
IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S., Marine Pollutant (Benzalkonium
	Chloride, sodium hydroxide)
14.3. Transport hazard class(es)	. ,
ADR-Class:	8
ADR - Hazard identification nui	mber: 80
IATA-Class:	8
IATA-Label:	8
IMDG-Class:	8
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	Yes
IMDG-Marine pollutant:	Marine Pollutant
IMDG-EmS:	F-A,
	S-B
14.6. Special precautions for user	
ADR-Subsidiary hazards:	-
ADR-S.P.:	274
ADR-Transport category (Tunn	
IATA-Passenger Aircraft:	852
IATA-Subsidiary hazards:	-
IATA-Cargo Aircraft:	856
	Sefety Date Sheet dated 26/0/2022 version 14

Safety Data Sheet dated 26/9/2022, version 14 Page n. 8 of 11



IATA-S.P.: A3 A803 IATA-ERG: 8L IMDG-Subsidiary hazards: IMDG-Stowage and handling: Category A Clear of living quarters. IMDG-Segregation: 14.7. Maritime transport in bulk according to IMO instruments NΑ The product is transported in conditions that comply with exemption criteria for ADR transport. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: **Restriction 75** Pronto all'Uso Volatile Organic compounds - VOCs = 0.00 % Volatile Organic compounds - VOCs = 0.00 g/Kg Volatile Organic compounds - VOCs = 0.00 g/l Volatile CMR substances = 0.00 % Halogenated VOCs which are assigned the risk phrase R40 = 0.00 % Organic Carbon - C = 0.00 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1



Product belongs to category:

E2

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H318 Causes serious eye damage.
- H410 Very toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Aquatic Chronic 2, H411	Calculation method



	It was prepared by a competent person who has received appropriate training.					
Main bibliographic sources: ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre.						
Commission of the European Communities						
	SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van					
Nostran	Nostrand Reinold					
	on contained herein is based on our state of knowledge at the above-specified date. It					
	the product indicated and constitutes no guarantee of particular quality.					
specific use in	f the user to ensure that this information is appropriate and complete with respect to the					
	ancels and replaces any preceding release.					
ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.					
ATE:	Acute Toxicity Estimate					
ATEmix:	Acute toxicity Estimate (Mixtures)					
CAS:	Chemical Abstracts Service (division of the American Chemical					
	Society).					
CLP:	Classification, Labeling, Packaging.					
DNEL:	Derived No Effect Level.					
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.					
GHS:	Globally Harmonized System of Classification and Labeling of					
	Chemicals.					
IATA:	International Air Transport Association.					
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport					
	Association" (IATA).					
ICAO: ICAO-TI:	International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization"					
10AU-11.	(ICAO).					
IMDG:	International Maritime Code for Dangerous Goods.					
INCI:	International Nomenclature of Cosmetic Ingredients.					
KSt:	Explosion coefficient.					
LC50:	Lethal concentration, for 50 percent of test population.					
LD50:	Lethal dose, for 50 percent of test population.					
PNEC: RID:	Predicted No Effect Concentration. Regulation Concerning the International Transport of Dangerous Goods					
	by Rail.					
STEL:	Short Term Exposure limit.					
STOT:	Specific Target Organ Toxicity.					
TLV:	Threshold Limiting Value.					
	Time-weighted average					
WGK:	German Water Hazard Class.					
	Safety Data Sheet dated 26/9/2022 version 14					