
anforma to Dagulationa (EC) 1007/2006 (EC) 1272/2009 and subsequent amondments
onforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments.
ECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier
Mixture identification:
Trade name: SANITEC SW9 - ALGAE
Trade code: 2604
1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use: Algaecide
1.3. Details of the supplier of the safety data sheet
Supplier:
ITALCHIMICA s.r.l. Divisione Magaztri dal lavare 10.25127 Dadava Italy
Riviera Maestri del lavoro 10 35127 Padova Italy
Phone +39 049 8792456
Marketing authorization holder
ITALCHIMICA s.r.l.   Riviera Maestri del lavoro 10 35127 Padova Italy   Phone +39 049 87924
- www.sanitecitalia.com
Competent person responsible for the safety data sheet:
regulatory@italchimica.it
1.4. Emergency telephone number
Centro antiveleni, "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA, Pia
Sant'Onofrio, 4 Roma Tel. 06 68593726
Centro antiveleni, Az. Osp. Univ. Foggia, V.le Luigi Pinto 1, Foggia Tel. 800183459
Centro antiveleni, Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e
rianimazione, Via A. Cardarelli 9, Napoli Tel. 081-5453333
Oracles and school Deliving Wheeks do W Mite del Deliving AFF, Deves Tel. 00,40070000
Centro antiveleni, Policlinico "Umberto I", V.le del Policlinico 155, Roma Tel. 06-49978000
Contro ontivoloni. Dalialinico "A. Comolli" Largo Agostino Comolli 9. Domo Tol. 06. 2054242
Centro antiveleni, Policlinico "A. Gemelli", Largo Agostino Gemelli 8, Roma Tel. 06-3054343
Centro antiveleni, Az. Osp. "Careggi" U.O. Tossicologia Medica, Via Largo Brambilla 3, Firenz
Tel. 055-7947819
Tel. 000-7947019
Centro antiveleni, Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione
Salvatore Maugeri Clinica di Lavoro e della riabilitazione, Via Salvatore Maugeri 10, Pavia Tel
Centro antiveleni Osp. Niguarda Ca' Grande, Piazza Ospedale Maggiore 3, Milano Tel.
02-66101029
Centro antiveleni, Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS 1, Bergamo Tel.
800883300
Centro antiveleni, Azienda Ospedaliera Integrata Verona, Piazzale Aristide Stefani 1, Verona
Tel. 800011858
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
Safety Data Sheet dated 29/11/2022, version
Page n. 1 of

## Safety Data Sheet SANITEC SW9 - ALGAE



#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	ldent. Numb	er	Classification
>= 15% - < 17.5%	Quaternary ammonium compounds,benzyl- C12-16-alkyldimethyl, chlorides	CAS: EC:	68424-85-1 270-325-2	<ul> <li>♦ 3.3/1 Eye Dam. 1 H318</li> <li>♦ 4.1/C1 Aquatic Chronic 1 H410</li> <li>♦ 3.1/4/Oral Acute Tox. 4 H302</li> <li>♦ 3.2/1B Skin Corr. 1B H314</li> <li>♦ 4.1/A1 Aquatic Acute 1 H400</li> </ul>

Safety Data Sheet dated 29/11/2022, version 6 Page n. 2 of 10

< 2.5%	tetrasodium ethylene diamine tetraacetate	Index number: CAS: EC: REACH No.:	64-02-8 200-573-9	<ul> <li></li></ul>
4.1. Desc In a OE Re Aft In a Aft the Pro In a Do In a Re 4.2 No 4.3. Indic In a saf	n consult an opthalmolog otect uninjured eye. case of Ingestion: NOT induce vomiting. case of Inhalation: move casualty to fresh ai <b>. Most important symp</b> ne cation of any immediate case of accident or unwe fety data sheet if possible eatment:	taminated cloth ICAL ATTENTI ing immediatel h immediately v rinse with wate gist immediately ir and keep war toms and effect medical atten llness, seek me	ON. y and dispose of with soap and p r with the eyelic y. rm and at rest. cts, both acute htion and spec	e and delayed
5.1. Extir Su Wa Ca Ex No 5.2. Spec Do Bu 5.3. Advi Us Co dra	refighting measures nguishing media itable extinguishing media ater. rbon dioxide (CO2). tinguishing media which i ne in particular. tial hazards arising from not inhale explosion and rning produces heavy sm ce for firefighters e suitable breathing appa llect contaminated fire ex- tins. we undamaged contained	must not be use <b>n the substane</b> I combustion ga noke. aratus . tinguishing wat	<b>ce or mixture</b> ases. ter separately.	This must not be discharged into
6.1. Pers We Re Se	cidental release measu onal precautions, prote ear personal protection ea move persons to safety. e protective measures ur ronmental precautions	ctive equipme quipment.	18.	ency procedures Data Sheet dated 29/11/2022, version 6

	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
	Retain contaminated washing water and dispose it.
	In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
	Suitable material for taking up: absorbing material, organic, sand
6.3. N	lethods and material for containment and cleaning up
	Wash with plenty of water.
6.4. F	eference to other sections
	See also section 8 and 13
	: Handling and storage
7.1. F	recautions for safe handling
	Avoid contact with skin and eyes, inhalation of vapours and mists.
	Don't use empty container before they have been cleaned.
	Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
	See also section 8 for recommended protective equipment.
	Advice on general occupational hygiene:
	Contamined clothing should be changed before entering eating areas.
	Do not eat or drink while working.
7.2. 0	onditions for safe storage, including any incompatibilities
	Keep away from food, drink and feed.
	Incompatible materials:
	None in particular.
	Instructions as regards storage premises:
	Adequately ventilated premises.
7 0 0	
7.3. 9	pecific end use(s)
7.3. §	
	pecific end use(s) None in particular
SECTION 8	pecific end use(s) None in particular Exposure controls/personal protection
SECTION 8	pecific end use(s) None in particular Exposure controls/personal protection control parameters
SECTION 8	pecific end use(s) None in particular Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
SECTION 8	pecific end use(s) None in particular Exposure controls/personal protection control parameters
SECTION 8	pecific end use(s) None in particular Exposure controls/personal protection Fontrol parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile
SECTION 8	pecific end use(s)         None in particular         Exposure controls/personal protection         control parameters         tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8         EU - TWA: 10 mg/m3 - Notes: Inalabile         EU - TWA: 3 mg/m3 - Notes: respirabile         DNEL Exposure Limit Values         tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
SECTION 8	pecific end use(s) None in particular Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation -
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects</li> </ul>
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency:</li> </ul>
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute)</li> </ul>
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> </ul>
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection Fontrol parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> </ul>
SECTION 8	pecific end use(s) None in particular Exposure controls/personal protection fontrol parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects PNEC Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l</li> </ul>
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: Inalabile DNEL Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 0.22 mg/l</li> </ul>
SECTION 8	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection control parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l</li> </ul>
SECTION 8 8.1. C	pecific end use(s) None in particular Exposure controls/personal protection Fontrol parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects PNEC Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 0.22 mg/l Target: Microorganisms in sewage treatments - Value: 43 mg/l
SECTION 8 8.1. C	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection Fontrol parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 2.2 mg/l Target: Microorganisms in sewage treatments - Value: 43 mg/l Target: Soil (agricultural) - Value: 0.72 mg/kg</li> <li>xposure controls</li> </ul>
SECTION 8 8.1. C	pecific end use(s) None in particular Exposure controls/personal protection ontrol parameters tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile DNEL Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects PNEC Exposure Limit Values tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 0.22 mg/l Target: Marine water - Value: 0.22 mg/l Target: Soil (agricultural) - Value: 0.72 mg/kg xposure controls Eye protection: Use closed safety visors complying with EN 166, do not use eye lenses.
SECTION 8 8.1. C	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection fontrol parameters</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: Inalabile DNEL Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 0.22 mg/l Target: Soil (agricultural) - Value: 0.72 mg/kg</li> <li>xposure controls</li> <li>Eye protection: Use closed safety visors complying with EN 166, do not use eye lenses. Protection for skin:</li> </ul>
SECTION 8 8.1. C	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection fontrol parameters</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 0.22 mg/l Target: Microorganisms in sewage treatments - Value: 43 mg/l Target: Soil (agricultural) - Value: 0.72 mg/kg</li> <li>xposure controls</li> <li>Eye protection: Use closed safety visors complying with EN 166, do not use eye lenses. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or</li> </ul>
SECTION 8 8.1. C	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection fontrol parameters</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects</li> <li>Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 0.22 mg/l Target: Microorganisms in sewage treatments - Value: 43 mg/l Target: Soil (agricultural) - Value: 0.72 mg/kg</li> <li>xposure controls</li> <li>Eye protection:</li> <li>Use closed safety visors complying with EN 166, do not use eye lenses. Protection for skin:</li> <li>Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.</li> </ul>
SECTION 8 8.1. C	<ul> <li>pecific end use(s) None in particular</li> <li>Exposure controls/personal protection fontrol parameters</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 10 mg/m3 - Notes: Inalabile EU - TWA: 3 mg/m3 - Notes: respirabile</li> <li>DNEL Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Worker Professional: 2.8 ppm - Consumer: 1.7 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 3 04 - Consumer: 2.8 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute) Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects</li> <li>PNEC Exposure Limit Values</li> <li>tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Target: Fresh Water - Value: 2.2 mg/l Target: Marine water - Value: 0.22 mg/l Target: Microorganisms in sewage treatments - Value: 43 mg/l Target: Soil (agricultural) - Value: 0.72 mg/kg</li> <li>xposure controls</li> <li>Eye protection: Use closed safety visors complying with EN 166, do not use eye lenses. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or</li> </ul>

### Safety Data Sheet SANITEC SW9 - ALGAE

PVC, neoprene or rubber). The suitability and stability of a glove depend on use; for example, the duration, the contact frequency and the chemical resistance of the materials, so the final choice must consider the specific conditions of use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	Transparent		
Odour:	Feature	Olfactory	
Melting point/freezing point:	Not Relevant		
Boiling point or initial boiling point and boiling range:	Not Relevant		
Flammability:	N.A.		
Lower and upper explosion limit:	Not Relevant		
Flash point:	N.A.		
Auto-ignition temperature:	Not Relevant		Parameter Not Relevant For The Product Type.
Decomposition temperature:	Not Relevant		Parameter Not Relevant For The Product Type.
pH:	10.5 +/- 0.5	Instrumental Control	
Kinematic viscosity:	N.A.		
Solubility in water:	Excellent	Internal Tests	
Solubility in oil:	Not Relevant		
Partition coefficient n- octanol/water (log value):	Not Relevant		
Vapour pressure:	Not Relevant		Parameter Not Relevant For The Product Type.

Safety Data Sheet dated 29/11/2022, version 6



density:	1.0000 +/-0, 01 gr/ml		
Relative vapour density:	Not Relevant		
	Particle cha	aracteristics:	
Particle size:	N.A.		
9.2. Other information No other relevant ir	formation		
CTION 10: Stability and rea 10.1. Reactivity Stable under norma 10.2. Chemical stability Stable under norma 10.3. Possibility of haza None 10.4. Conditions to avoi Stable under norma 10.5. Incompatible mate None in particular. 10.6. Hazardous decom None.	al conditions al conditions rdous reactions d al conditions. rials position product		ulation (EC) No 1272/2008
<b>11.1. Information on haz</b> Toxicological inform N.A. Toxicological inform tetrasodium ethyler a) acute toxicity:	nation of the produ	uct: substances fo cetate - CAS: 64	und in the product: 4-02-8

## Safety Data Sheet SANITEC SW9 - ALGAE

	Adopt good working practices,	so that the product is not released into the environment.
	tetrasodium ethylene diamine	tetraacetate - CAS: 64-02-8
	a) Aquatic acute toxicity:	
		es: Fish = 792 mg/l - Duration h: 96
12 2	Persistence and degradability	
12.2.		y
	N.A.	
12.3.	Bioaccumulative potential	
	N.A.	
12.4.	Mobility in soil	
	N.A.	
12 5	Results of PBT and vPvB ass	sessment
12.0.	vPvB Substances: None - PBT	
12.6		
12.0.	Endocrine disrupting properties	
(a =		nces present in concentration >= 0.1%
12.7.	Other adverse effects	
	None	
SECTION 2	13: Disposal considerations	
	Waste treatment methods	
13.1.		
		authorised disposal plants or for incineration under controlled
	conditions. In so doing, comply	y with the local and national regulations currently in force.
SECTION <sup>2</sup>	14: Transport information	
	· · · · · · · · · · · · · · · · · · ·	
	•	
8	$\mathbf{V}$	
14.1.	UN number or ID number	
	ADR-UN Number:	1760
	IATA-UN Number:	1760
	IMDG-UN Number:	1760
14.0		1700
14.2.	UN proper shipping name	
	ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S. , MARINE POLLUTANT
		(Benzalkonium chloride)
	IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S. , MARINE POLLUTANT
		(Benzalkonium chloride)
	IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S. , MARINE POLLUTANT
		(Benzalkonium chloride)
14.3	Transport hazard class(es)	
14.0.	ADR-Class:	8
	ADR - Hazard identification nu	-
		8
	IATA-Label:	8 + P
	IMDG-Class:	8
14.4.	Packing group	
	ADR-Packing Group:	III
	IATA-Packing group:	III
	IMDG-Packing group:	
115	Environmental hazards	
14.0.		Yes
	ADR-Environmental Pollutant:	
	IMDG-Marine pollutant:	Marine Pollutant
	IMDG-EmS:	F-A,
		Safety Data Sheet dated 29/11/2022 version 6

Safety Data Sheet dated 29/11/2022, version 6 Page n. 7 of 10

14.6	Special processions for year	S-B
14.0.	Special precautions for user ADR-Subsidiary hazards:	
	ADR-Subsidiary hazards.	274
	ADR-Transport category (Tunn	
	IATA-Passenger Aircraft:	852
	IATA-Subsidiary hazards:	-
	IATA-Cargo Aircraft:	615
	IATA-S.P.:	-
	IATA-ERG:	8L
	IMDG-Subsidiary hazards:	-
	IMDG-Stowage and handling:	Category A
	IMDG-Segregation:	Clear of living quarters.
14.7	Maritime transport in bulk accord	
	N.A.	
SECTION 1	5: Regulatory information	
		al regulations/legislation specific for the substance or mixture
10.1.	Dir. 98/24/EC (Risks related to	
	Dir. 2000/39/EC (Occupational	
	Regulation (EC) n. 1907/2006 (	
	Regulation (EC) n. 1272/2008 (	
		TP 1 CLP) and (EU) n. 758/2013
	Regulation (EU) n. 2020/878	
	Regulation (EU) n. 286/2011 (A	TP 2 CLP)
	Regulation (EU) n. 618/2012 (A	
	Regulation (EU) n. 487/2013 (A	
	Regulation (EU) n. 944/2013 (A	
	Regulation (EU) n. 605/2014 (A	
	Regulation (EU) n. 2015/1221 (	
	Regulation (EU) n. 2016/918 (À	
	Regulation (EU) n. 2016/1179 (	
	Regulation (EU) n. 2017/776 (A	
	Regulation (EU) n. 2018/669 (A	
	Regulation (EU) n. 2018/1480 (	
	Regulation (EU) n. 2019/521 (A	
	Regulation (EU) n. 2020/217 (A	TP 14 CLP)
	Regulation (EU) n. 2020/1182 (	ATP 15 CLP)
	Regulation (EU) n. 2021/643 (A	
Restri	ictions related to the product or t	he substances contained according to Annex XVII Regulation
(EC) <sup>-</sup>	1907/2006 (REACH) and subsec	
	Restrictions related to the produ	uct:
	Restriction 3	
	Restrictions related to the subs	tances contained:
_	Restriction 75	
	o all'Uso	
	le Organic compounds - VOCs =	
	le Organic compounds - VOCs =	
	le Organic compounds - VOCs =	= 0.00 g/I
	le CMR substances = 0.00 %	
	enated VOCs which are assigned	ed the risk phrase R40 = 0.00 %
	nic Carbon - $C = 0.00$	
vvher	e applicable, refer to the followin	
	Directive 2012/18/EU (Seveso	
	Regulation (EC) nr 648/2004 (d	
	Dir. 2004/42/EC (VOC directive	, ,
		Safety Data Sheet dated 29/11/2022, version 6



Eye Dam. 1, H318

Aquatic Chronic 2, H411

## Safety Data Sheet SANITEC SW9 - ALGAE

Product belon category:	gs to		
E2			
15.2. Chemical safety No Chemical Si		nas been carrie	d out for the mixture.
H410 Very toxic H302 Harmful i	ferred to in Section erious eye damage to aquatic life with f swallowed. evere skin burns ar to aquatic life.	e. Iong lasting ef	
H373 May caus	e damage to organ	is through prolo	onged or repeated exposure.
H373 May caus Hazard class and hazard category	e damage to organ	bescriptic	
Hazard class and		Descriptio	
Hazard class and hazard category	Code	Description           Acute toxic	on .
Hazard class and hazard category Acute Tox. 4	Code 3.1/4/Inhal	Description           Acute toxic           Acute toxic	on city (inhalation), Category 4
Hazard class and hazard category Acute Tox. 4 Acute Tox. 4	Code           3.1/4/Inhal           3.1/4/Oral	Description         Acute toxic         Acute toxic         Skin corros	on city (inhalation), Category 4 city (oral), Category 4
Hazard class and hazard category Acute Tox. 4 Acute Tox. 4 Skin Corr. 1B	Code           3.1/4/Inhal           3.1/4/Oral           3.2/1B	Description         Acute toxic         Acute toxic         Skin corros         Serious ey         Specific ta	on city (inhalation), Category 4 city (oral), Category 4 sion, Category 1B
Hazard class and hazard category Acute Tox. 4 Acute Tox. 4 Skin Corr. 1B Eye Dam. 1	Code           3.1/4/Inhal           3.1/4/Oral           3.2/1B           3.3/1	Description         Acute toxic         Acute toxic         Skin corros         Serious ey         Specific ta         exposure,	on city (inhalation), Category 4 city (oral), Category 4 sion, Category 1B re damage, Category 1 rget organ toxicity - repeated
Hazard class and hazard category Acute Tox. 4 Acute Tox. 4 Skin Corr. 1B Eye Dam. 1 STOT RE 2	Code           3.1/4/Inhal           3.1/4/Oral           3.2/1B           3.3/1           3.9/2	Description         Acute toxic         Acute toxic         Skin corros         Serious ey         Specific ta         exposure,         Acute aqua	on city (inhalation), Category 4 city (oral), Category 4 sion, Category 1B re damage, Category 1 rget organ toxicity - repeated Category 2

Safety Data Sheet dated 29/11/2022, version 6 Page n. 9 of 10

Calculation method

Calculation method

#### Safety Data Sheet SANITEC SW9 - ALGAE

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources: ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular guality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This MSDS cancels and replaces any preceding release. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. Acute Toxicity Estimate ATE: ATEmix: Acute toxicity Estimate (Mixtures) CAS: Chemical Abstracts Service (division of the American Chemical Society). CLP: Classification, Labeling, Packaging. DNEL: Derived No Effect Level. European Inventory of Existing Commercial Chemical Substances. EINECS: GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. International Air Transport Association. IATA: IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). International Civil Aviation Organization. ICAO: ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). International Maritime Code for Dangerous Goods. IMDG: INCI: International Nomenclature of Cosmetic Ingredients. KSt: Explosion coefficient. Lethal concentration, for 50 percent of test population. LC50: Lethal dose, for 50 percent of test population. LD50: Predicted No Effect Concentration. PNEC: Regulation Concerning the International Transport of Dangerous Goods RID: by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. Threshold Limiting Value. TLV: TWA: Time-weighted average German Water Hazard Class. WGK: